


Chicago Valves & Controls



STAINLESS STEEL
———— **200 WOG** ————
GATE, GLOBE & CHECK

200 WOG @ 350°F
 316 STAINLESS STEEL - A351 CF8M
 NON-RISING STEM
 SOLID WEDGE DISC
 SCREWED BONNET
 THREADED (NPT) OR SOCKET WELD ENDS
 316 STAINLESS STEEL SEATS
 ADJUSTABLE PACKING

Series 226



PARTS AND MATERIAL


PART NO.	PART NAME	QTY.	MATERIAL
1	Body	1	316 Stainless Steel ASTM A351 CF8M
2	Seal	1	PTFE
3	Disc	1	316 Stainless Steel ASTM A351 CF8M
4	Stem	1	316 Stainless Steel
5	Retaining Ring	1	316 Stainless Steel
6	Washer	1	316 Stainless Steel
7	Bonnet	1	316 Stainless Steel ASTM A351 CF8M
8	Packing	1	PTFE
9	Gland Packing	1	304 Stainless Steel
10	Packing Nut	1	304 Stainless Steel
11	Hand Wheel	1	Aluminum
12	Nameplate	1	Aluminum
13	Handlewheel Washer	1	304 Stainless Steel
14	Handlewheel Nut	1	304 Stainless Steel

Series 226

SIZE	CV (GPM)	WEIGHT (LBS)
1/2"	17.6	0.95
3/4"	32	1.23
1"	54	1.65
1-1/4"	97	2.56
1-1/2"	135	3.70
2"	230	5.16

STAINLESS STEEL THREAD END GATE VALVE


DIMENSIONS (INCHES)



SIZE	A	B	C	D
1/2"	2.20	3.80	2.76	0.59
3/4"	2.36	4.06	2.76	0.79
1"	2.68	4.43	2.76	0.98
1-1/4"	3.03	5.16	3.15	1.26
1-1/2"	3.15	6.26	3.94	1.59
2"	3.66	6.93	3.94	1.97
2-1/2"	4.61	8.39	4.53	2.48
3"	5.16	9.09	4.53	2.95

STAINLESS STEEL SOCKET END GATE VALVE


DIMENSIONS (INCHES)



SIZE	A	B	C	D	E	F
1/2"	2.20	3.80	2.76	0.59	0.85	0.37
3/4"	2.36	4.06	2.76	0.79	1.07	0.49
1"	2.68	4.43	2.76	0.98	1.33	0.49
1-1/4"	3.03	5.16	3.15	1.26	1.68	0.49
1-1/2"	3.15	6.26	3.94	1.59	1.92	0.49
2"	3.66	6.93	3.94	1.97	2.41	0.63
2-1/2"	4.61	8.39	4.53	2.48	2.91	0.63
3"	5.16	9.09	4.53	2.95	3.54	0.63

200 WOG @ 350°F
316 STAINLESS STEEL - A351 CF8M
RISING STEM
SCREWED BONNET
CONICAL SEAT DESIGN
316 STAINLESS STEEL SEATS
ADJUSTABLE PACKING
THREADED (NPT) OR SOCKET WELD ENDS

Series 326




PARTS AND MATERIAL

PART NO.	PART NAME	QTY.	MATERIAL
1	Body	1	316 Stainless Steel ASTM A351 CF8M
2	Seal	1	PTFE
3	Disc	1	316 Stainless Steel ASTM A351 CF8M
4	Stem	1	316 Stainless Steel
5	Bonnet	1	316 Stainless Steel ASTM A351 CF8M
6	Packing Washer	1	316 Stainless Steel
7	Packing	1	PTFE
8	Gland Packing	1	304 Stainless Steel
9	Packing Nut	1	304 Stainless Steel
10	Hand Wheel	1	Aluminum
11	Nameplate	1	Aluminum
12	Handlewheel Washer	1	304 Stainless Steel
13	Handlewheel Nut	1	304 Stainless Steel

Series 326

SIZE	CV (GPM)	WEIGHT (LBS)
1/2"	3.8	0.99
3/4"	7	1.46
1"	11	1.87
1-1/4"	21	2.65
1-1/2"	29	3.97
2"	50	5.58


STAINLESS STEEL THREAD END GLOBE VALVE



DIMENSIONS (INCHES)

SIZE	A	B	C	D
1/4"	2.56	3.58	2.76	0.59
3/8"	2.56	3.58	2.76	0.59
1/2"	2.56	3.58	2.76	0.59
3/4"	2.95	3.70	2.76	0.79
1"	3.54	4.13	3.15	0.98
1-1/4"	4.17	4.53	3.15	1.26
1-1/2"	4.72	5.39	3.94	1.57
2"	5.55	5.83	3.94	1.97

STAINLESS STEEL SOCKET END GLOBE VALVE




DIMENSIONS (INCHES)

SIZE	A	B	C	D	E	F
1/4"	2.56	3.58	2.76	0.59	0.56	0.37
3/8"	2.56	3.58	2.76	0.59	0.69	0.37
1/2"	2.56	3.58	2.76	0.59	0.85	0.37
3/4"	2.95	3.70	2.76	0.79	1.07	0.49
1"	3.54	4.13	3.15	0.98	1.33	0.49
1-1/4"	4.17	4.53	3.15	1.26	1.68	0.49
1-1/2"	4.72	5.39	3.94	1.57	1.92	0.49
2"	5.55	5.83	3.94	1.97	2.41	0.63

200 WOG @ 350°F
316 STAINLESS STEEL - A351 CF8M
316 STAINLESS STEEL SEAT
SOLID ONE PIECE DISC
SCREWED COVER
THREADED (NPT) OR SOCKET WELD ENDS

Series 426




PARTS AND MATERIAL

PART NO.	PART NAME	QTY.	MATERIAL
1	Body	1	316 Stainless Steel ASTM A351 CF8M
2	Disc	1	316 Stainless Steel ASTM A351 CF8M
3	Seal	1	PTFE
4	Bonnet	1	316 Stainless Steel ASTM A351 CF8M
5	Nameplate	1	Aluminum
6	Hing Pin	1	316 Stainless Steel
7	Screw Plug Washer	1	PTFE
8	Screw Plug	1	316 Stainless Steel

Series 426

SIZE	CV (GPM)	WEIGHT (LBS)
1/4"	4.2	0.66
3/8"	5.5	0.77
1/2"	7	0.73
3/4"	16	1.12
1"	30	1.76
1-1/4"	49	2.54
1-1/2"	72	3.31
2"	130	5.03
2-1/2"	280	8.82
3"	390	12.79


STAINLESS STEEL THREAD END SWING CHECK VALVE



DIMENSIONS (INCHES)

SIZE	A	B	C	D
1/4"	2.56	1.87	0.94	0.43
3/8"	2.56	1.87	0.94	0.45
1/2"	2.56	1.87	0.94	0.59
3/4"	2.95	2.09	1.10	0.79
1"	3.54	2.26	1.42	0.96
1-1/4"	4.13	2.76	1.57	1.26
1-1/2"	4.72	2.91	1.97	1.57
2"	5.47	3.21	2.17	1.89
2-1/2"	6.14	3.56	2.95	2.52
3"	7.36	3.96	3.35	2.99


STAINLESS STEEL SOCKET END SWING CHECK VALVE



DIMENSIONS (INCHES)

SIZE	A	B	C	D	E	F
1/4"	2.56	1.87	0.94	0.43	0.56	0.37
3/8"	2.56	1.87	0.94	0.45	0.69	0.37
1/2"	2.56	1.87	0.94	0.59	0.85	0.37
3/4"	2.95	2.09	1.10	0.79	1.07	0.49
1"	3.54	2.26	1.42	0.96	1.33	0.49
1-1/4"	4.13	2.76	1.57	1.26	1.68	0.49
1-1/2"	4.72	2.91	1.97	1.57	1.92	0.49
2"	5.47	3.21	2.17	1.89	2.41	0.63
2-1/2"	6.14	3.56	2.95	2.52	2.91	0.63
3"	7.36	3.96	3.35	2.99	3.54	0.63

PRESSURE-TEMPERATURE RATINGS SERIES 226, 326, 426



APPLICABLE STANDARDS

SHELL TEST	API 598
SEAT TEST	API 598
THREADED ENDS	ASME B1.20.1
SOCKET WELD ENDS	ASME B16.11

HOW TO ORDER

1"	226	6	SW
Size	Series	Body	Ends
SIZE	SERIES	BODY	ENDS
1/4" 1 1/4"	226 Gate	6 316 Stainless Steel	TE Threaded Ends
3/8" 1 1/2"	326 Globe		SW Socket Weld Ends
1/2" 2"	426 Check		T/S Threaded / Socket Weld
3/4" 2 1/2"			
1" 3"			

Chicago Valves
& Controls



Toll-Free (833) 831-2312

Local (312) 637-3557

Fax: (312) 637-3543

E-Mail: sales@chicagovalves.com

www.chicagovalves.com

885 Cambridge Dr.

Elk Grove Village, Illinois 60007 U.S.A.